

AB BIODISK INTERNATIONAL PRODUCT LIST 2008

Valid as of 05 September 2008

TABLE OF CONTENTS

E-TEST®

| | |
|---|---|
| Antimicrobial Susceptibility Testing | 2 |
| Antifungal Susceptibility Testing | 5 |
| Antimycobacterial Susceptibility Testing | 6 |
| ESBL for Confirmation of Extended Spectrum Beta-Lactamase | 6 |
| MBL for Detection of Metallo Beta-Lactamase | 6 |
| GRD for Glycopeptide Resistance Detection | 6 |
| AmpC Detection | 7 |
| ACCESSORIES | 7 |
| BIOTOOLS™ | 7 |
| ORDERING INFORMATION | 8 |

Manufacturer
AB BIODISK
Dalvägen 10
169 56 Solna, Sweden
Tel. +46-(0)8-730 07 60
Fax. +46-(0)8-83 81 58
etest@abbiodisk.se
www.abbiodisk.com

AB BIODISK

E TEST FOR ANTIMICROBIAL SUSCEPTIBILITY TESTING

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|-----------------------------------|------|---------------------------|---------------------------|------------------------------|------------|
| Amikacin | AK | 0.016-256 | 5110 0138 | 5100 0138 | 100 |
| Amikacin | AK | 0.016-256 | 5110 0130 | 5100 0130 | 30 |
| Amoxicillin | AC | 0.016-256 | 5110 0098 | 5100 0098 | 100 |
| Amoxicillin | AC | 0.016-256 | 5110 0090 | 5100 0090 | 30 |
| Amoxicillin/clavulanic acid (2/1) | XL | 0.016-256 | 5110 0108 | 5100 0108 | 100 |
| Amoxicillin/clavulanic acid (2/1) | XL | 0.016-256 | 5110 0100 | 5100 0100 | 30 |
| Ampicillin | AM | 0.016-256 | 5110 0158 | 5100 0158 | 100 |
| Ampicillin | AM | 0.016-256 | 5110 0150 | 5100 0150 | 30 |
| Ampicillin/sulbactam (2/1) | AB | 0.016-256 | 5110 0188 | 5100 0188 | 100 |
| Ampicillin/sulbactam (2/1) | AB | 0.016-256 | 5110 0180 | 5100 0180 | 30 |
| Azithromycin | AZ | 0.016-256 | 5110 0168 | 5100 0168 | 100 |
| Azithromycin | AZ | 0.016-256 | 5110 0160 | 5100 0160 | 30 |
| Aztreonam | AT | 0.016-256 | 5110 0178 | 5100 0178 | 100 |
| Aztreonam | AT | 0.016-256 | 5110 0170 | 5100 0170 | 30 |
| Bacitracin | BA | 0.016-256 | - | 5100 2868 | 100 |
| Bacitracin | BA | 0.016-256 | - | 5100 2860 | 30 |
| Benzylpenicillin | PG | 0.016-256 (<i>high</i>) | 5110 0258 | 5100 0258 | 100 |
| Benzylpenicillin | PG | 0.016-256 (<i>high</i>) | 5110 0250 | 5100 0250 | 30 |
| Benzylpenicillin | PG | 0.002-32 (<i>low</i>) | 5110 0268 | 5100 0268 | 100 |
| Benzylpenicillin | PG | 0.002-32 (<i>low</i>) | 5110 0260 | 5100 0260 | 30 |
| Cefaclor | CF | 0.016-256 | 5110 0458 | 5100 0458 | 100 |
| Cefaclor | CF | 0.016-256 | 5110 0450 | 5100 0450 | 30 |
| Cefepime | PM | 0.016-256 | 5110 0508 | 5100 0508 | 100 |
| Cefepime | PM | 0.016-256 | 5110 0500 | 5100 0500 | 30 |
| Cefixime | IX | 0.016-256 | 5110 2998 | 5100 2998 | 100 |
| Cefixime | IX | 0.016-256 | 5110 2990 | 5100 2990 | 30 |
| Cefoperazone/sulbactam (2/1) | CPS | 0.016-256 | 5110 2938 | 5100 2938 | 100 |
| Cefoperazone/sulbactam (2/1) | CPS | 0.016-256 | 5110 2930 | 5100 2930 | 30 |
| Cefotaxime | CT | 0.016-256 (<i>high</i>) | 5110 0558 | 5100 0558 | 100 |
| Cefotaxime | CT | 0.016-256 (<i>high</i>) | 5110 0550 | 5100 0550 | 30 |
| Cefotaxime | CT | 0.002-32 (<i>low</i>) | 5110 0568 | 5100 0568 | 100 |
| Cefotaxime | CT | 0.002-32 (<i>low</i>) | 5110 0560 | 5100 0560 | 30 |
| Cefotetan | CN | 0.016-256 | 5110 0638 | 5100 0638 | 100 |
| Cefotetan | CN | 0.016-256 | 5110 0630 | 5100 0630 | 30 |
| Cefoxitin | FX | 0.016-256 | 5110 0658 | 5100 0658 | 100 |
| Cefoxitin | FX | 0.016-256 | 5110 0650 | 5100 0650 | 30 |
| Cefpirome | CR | 0.016-256 | 5110 0648 | 5100 0648 | 100 |
| Cefpirome | CR | 0.016-256 | 5110 0640 | 5100 0640 | 30 |
| Cefpodoxime | PX | 0.016-256 | 5110 0588 | 5100 0588 | 100 |
| Cefpodoxime | PX | 0.016-256 | 5110 0580 | 5100 0580 | 30 |
| Ceftazidime | TZ | 0.016-256 | 5110 0678 | 5100 0678 | 100 |
| Ceftazidime | TZ | 0.016-256 | 5110 0670 | 5100 0680 | 30 |
| Ceftizoxime | CZ | 0.002-32 | - | 5100 2738 | 100 |
| Ceftizoxime | CZ | 0.002-32 | - | 5100 2730 | 30 |

E TEST FOR ANTIMICROBIAL SUSCEPTIBILITY TESTING

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|----------------------------|------|----------------------------|---------------------------|------------------------------|------------|
| Ceftriaxone | TX | 0.016-256 (<i>high</i>) | 5110 0668 | 5100 0668 | 100 |
| Ceftriaxone | TX | 0.016-256 (<i>high</i>) | 5110 0660 | 5100 0670 | 30 |
| Ceftriaxone | TX | 0.002-32 (<i>low</i>) | 5110 0708 | 5100 0708 | 100 |
| Ceftriaxone | TX | 0.002-32 (<i>low</i>) | 5110 0700 | 5100 0700 | 30 |
| Cefuroxime | XM | 0.016-256 | 5110 0698 | 5100 0698 | 100 |
| Cefuroxime | XM | 0.016-256 | 5110 0690 | 5100 0690 | 30 |
| Cephalothin | CE | 0.016-256 | 5110 0358 | 5100 0358 | 100 |
| Cephalothin | CE | 0.016-256 | 5110 0350 | 5100 0350 | 30 |
| Chloramphenicol | CL | 0.016-256 | 5110 0758 | 5100 0758 | 100 |
| Chloramphenicol | CL | 0.016-256 | 5110 0750 | 5100 0750 | 30 |
| Ciprofloxacin | CI | 0.002-32 | 5110 0868 | 5100 0868 | 100 |
| Ciprofloxacin | CI | 0.002-32 | 5110 0860 | 5100 0850 | 30 |
| Clarithromycin | CH | 0.016-256 | 5110 0878 | 5100 0878 | 100 |
| Clarithromycin | CH | 0.016-256 | 5110 0870 | 5100 0870 | 30 |
| Clindamycin | CM | 0.016-256 | 5110 0958 | 5100 0958 | 100 |
| Clindamycin | CM | 0.016-256 | 5110 0950 | 5100 0950 | 30 |
| Colistin | CO | 0.016-256 | - | 5100 3738 | 100 |
| Colistin | CO | 0.016-256 | - | 5100 3730 | 30 |
| Daptomycin | DPC | 0.016-256 | 5110 3508 | 5100 3508 | 100 |
| Daptomycin | DPC | 0.016-256 | 5110 3500 | 5100 3500 | 30 |
| Doripenem | DOR | 0.002-32 | 5110 3598 | 5100 3598 | 100 |
| Doripenem | DOR | 0.002-32 | 5110 3590 | 5100 3590 | 30 |
| Doxycycline | DC | 0.016-256 | 5110 0978 | 5100 0978 | 100 |
| Doxycycline | DC | 0.016-256 | 5110 0970 | 5100 0970 | 30 |
| Enrofloxacin | EF | 0.002-32 | - | 5100 2898 | 100 |
| Enrofloxacin | EF | 0.002-32 | - | 5100 2890 | 30 |
| Ertapenem | ETP | 0.002-32 | 5110 3168 | 5100 3168 | 100 |
| Ertapenem | ETP | 0.002-32 | 5110 3160 | 5100 3160 | 30 |
| Erythromycin | EM | 0.016-256 | 5110 1058 | 5100 1058 | 100 |
| Erythromycin | EM | 0.016-256 | 5110 1050 | 5100 1050 | 30 |
| Fosfomycin | FM | 0.064-1024 | - | 5100 2918 | 100 |
| Fosfomycin | FM | 0.064-1024 | - | 5100 2910 | 30 |
| Fusidic acid | FU | 0.016-256 | 5110 1158 | 5100 1158 | 100 |
| Fusidic acid | FU | 0.016-256 | 5110 1150 | 5100 1150 | 30 |
| Gatifloxacin | GA | 0.002-32 | 5110 3028 | 5100 3028 | 100 |
| Gatifloxacin | GA | 0.002-32 | 5110 3020 | 5100 3020 | 30 |
| Gemifloxacin ¹⁾ | GEM | 0.002-32 | 5110 3038 | 5100 3038 | 100 |
| Gemifloxacin ¹⁾ | GEM | 0.002-32 | 5110 3030 | 5100 3030 | 30 |
| Gentamicin | GM | 0.064-1024 (<i>high</i>) | - | 5100 1278 | 100 |
| Gentamicin | GM | 0.064-1024 (<i>high</i>) | - | 5100 1270 | 30 |
| Gentamicin | GM | 0.016-256 (<i>low</i>) | 5110 1258 | 5100 1258 | 100 |
| Gentamicin | GM | 0.016-256 (<i>low</i>) | 5110 1250 | 5100 1250 | 30 |
| Imipenem | IP | 0.002-32 | 5110 1368 | 5100 1368 | 100 |
| Imipenem | IP | 0.002-32 | 5110 1360 | 5100 1350 | 30 |

1) For Investigational Use Only

ETEST FOR ANTIMICROBIAL SUSCEPTIBILITY TESTING

| PRODUCT | CODE | Mic µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|-----------------------------------|------|------------|---------------------------|------------------------------|------------|
| Kanamycin | KM | 0.016-256 | 5110 2788 | 5100 2788 | 100 |
| Kanamycin | KM | 0.016-256 | 5110 2780 | 5100 2780 | 30 |
| Levofloxacin | LE | 0.002-32 | 5110 2748 | 5100 2748 | 100 |
| Levofloxacin | LE | 0.002-32 | 5110 2740 | 5100 2740 | 30 |
| Linezolid | LZ | 0.016-256 | 5110 3138 | 5100 3138 | 100 |
| Linezolid | LZ | 0.016-256 | 5110 3130 | 5100 3130 | 30 |
| Mecillinam | MM | 0.016-256 | - | 5100 1378 | 100 |
| Mecillinam | MM | 0.016-256 | - | 5100 1370 | 100 |
| Meropenem | MP | 0.002-32 | 5110 1388 | 5100 1388 | 100 |
| Meropenem | MP | 0.002-32 | 5110 1380 | 5100 1380 | 30 |
| Metronidazole | MZ | 0.016-256 | 5110 3008 | 5100 3008 | 100 |
| Metronidazole | MZ | 0.016-256 | 5110 3000 | 5100 3000 | 30 |
| Minocycline | MC | 0.016-256 | 5110 1608 | 5100 1608 | 100 |
| Minocycline | MC | 0.016-256 | 5110 1600 | 5100 1600 | 30 |
| Moxifloxacin | MX | 0.002-32 | 5110 2908 | 5100 2908 | 100 |
| Moxifloxacin | MX | 0.002-32 | 5110 2900 | 5100 2900 | 30 |
| Mupirocin | MU | 0.064-1024 | - | 5100 1638 | 100 |
| Mupirocin | MU | 0.064-1024 | - | 5100 1630 | 30 |
| Nalidixic acid | NA | 0.016-256 | - | 5100 1658 | 100 |
| Nalidixic acid | NA | 0.016-256 | - | 5100 1650 | 30 |
| Netilmicin | NC | 0.016-256 | 5110 1758 | 5100 1758 | 100 |
| Netilmicin | NC | 0.016-256 | 5110 1750 | 5100 1750 | 30 |
| Nitrofurantoin | NI | 0.032-512 | - | 5100 3048 | 100 |
| Nitrofurantoin | NI | 0.032-512 | - | 5100 3040 | 30 |
| Norfloxacin | NX | 0.016-256 | - | 5100 1958 | 100 |
| Norfloxacin | NX | 0.016-256 | - | 5100 1950 | 30 |
| Ofloxacin | OF | 0.002-32 | 5110 1968 | 5100 1968 | 100 |
| Ofloxacin | OF | 0.002-32 | 5110 1960 | 5100 1960 | 30 |
| Oxacillin | OX | 0.016-256 | 5110 2058 | 5100 2058 | 100 |
| Oxacillin | OX | 0.016-256 | 5110 2050 | 5100 2050 | 30 |
| Piperacillin | PP | 0.016-256 | 5110 2158 | 5100 2158 | 100 |
| Piperacillin | PP | 0.016-256 | 5110 2150 | 5100 2150 | 30 |
| Piperacillin/tazobactam (4 µg/mL) | PTc | 0.016-256 | 5110 2148 | 5100 2148 | 100 |
| Piperacillin/tazobactam (4 µg/mL) | PTc | 0.016-256 | 5110 2140 | 5100 2140 | 30 |
| Polymyxin B | PO | 0.064-1024 | - | 5100 3348 | 100 |
| Polymyxin B | PO | 0.064-1024 | - | 5100 3340 | 30 |
| Quinupristin/dalfopristin | QDA | 0.002-32 | 5110 2878 | 5100 2878 | 100 |
| Quinupristin/dalfopristin | QDA | 0.002-32 | 5110 2870 | 5100 2870 | 30 |
| Rifampicin | RI | 0.002-32 | 5110 2608 | 5100 2608 | 100 |
| Rifampicin | RI | 0.002-32 | 5110 2600 | 5100 2600 | 30 |
| Spectinomycin | SC | 0.064-1024 | 5110 2928 | 5100 2928 | 100 |
| Spectinomycin | SC | 0.064-1024 | 5110 2920 | 5100 2920 | 30 |
| Streptomycin | SM | 0.064-1024 | - | 5100 2688 | 100 |
| Streptomycin | SM | 0.064-1024 | - | 5100 2680 | 30 |

E-TEST FOR ANTIMICROBIAL SUSCEPTIBILITY TESTING

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|---------------------------------------|------|----------------------------|---------------------------|------------------------------|------------|
| Sulbactam ¹⁾ | SUL | 0.016-256 | - | 5100 3518 | 100 |
| Sulbactam ¹⁾ | SUL | 0.016-256 | - | 5100 3510 | 30 |
| Sulfamethoxazole | SX | 0.064-1024 | 5110 3418 | 5100 3418 | 100 |
| Sulfamethoxazole | SX | 0.064-1024 | 5110 3410 | 5100 3410 | 30 |
| Teicoplanin | TP | 0.016-256 | 5110 2208 | 5100 2208 | 100 |
| Teicoplanin | TP | 0.016-256 | 5110 2200 | 5100 2200 | 30 |
| Temocillin ¹⁾ | TMO | 0.064-1024 | - | 5100 3568 | 100 |
| Temocillin ¹⁾ | TMO | 0.064-1024 | - | 5100 3560 | 30 |
| Tetracycline | TC | 0.016-256 | 5110 2258 | 5100 2258 | 100 |
| Tetracycline | TC | 0.016-256 | 5110 2250 | 5100 2250 | 30 |
| Ticarcillin/clavulanic acid (2 µg/mL) | TLc | 0.016-256 | 5110 2268 | 5100 2268 | 100 |
| Ticarcillin/clavulanic acid (2 µg/mL) | TLc | 0.016-256 | 5110 2260 | 5100 2260 | 30 |
| Tigecycline | TGC | 0.016-256 | 5110 3358 | 5100 3358 | 100 |
| Tigecycline | TGC | 0.016-256 | 5110 3350 | 5100 3350 | 30 |
| Tobramycin | TM | 0.064-1024 (<i>high</i>) | - | 5100 3318 | 100 |
| Tobramycin | TM | 0.064-1024 (<i>high</i>) | - | 5100 3310 | 30 |
| Tobramycin | TM | 0.016-256 (<i>low</i>) | 5110 2278 | 5100 2278 | 100 |
| Tobramycin | TM | 0.016-256 (<i>low</i>) | 5110 2270 | 5100 2270 | 30 |
| Trimethoprim | TR | 0.002-32 | 5110 2368 | 5100 2368 | 100 |
| Trimethoprim | TR | 0.002-32 | 5110 2360 | 5100 2360 | 30 |
| Trimethoprim/sulfamethoxazole (1/19) | TS | 0.002-32 | 5110 2448 | 5100 2448 | 100 |
| Trimethoprim/sulfamethoxazole (1/19) | TS | 0.002-32 | 5110 2440 | 5100 2440 | 30 |
| Vancomycin | VA | 0.016-256 | 5110 2558 | 5100 2558 | 100 |
| Vancomycin | VA | 0.016-256 | 5110 2550 | 5100 2550 | 30 |

1) For Investigational Use Only

E-TEST FOR ANTIFUNGAL SUSCEPTIBILITY TESTING

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|----------------|------|-----------|---------------------------|------------------------------|------------|
| Amphotericin B | AP | 0.002-32 | 5110 2638 | 5100 2638 | 100 |
| Amphotericin B | AP | 0.002-32 | 5110 2630 | 5100 2630 | 30 |
| Anidulafungin | AND | 0.002-32 | - | 5100 3208 | 100 |
| Anidulafungin | AND | 0.002-32 | - | 5100 3200 | 30 |
| Caspofungin | CS | 0.002-32 | 5110 3248 | 5100 3248 | 100 |
| Caspofungin | CS | 0.002-32 | 5110 3240 | 5100 3240 | 30 |
| Fluconazole | FL | 0.016-256 | 5110 1088 | 5100 1088 | 100 |
| Fluconazole | FL | 0.016-256 | 5110 1080 | 5100 1080 | 30 |
| Flucytosine | FC | 0.002-32 | 5110 1098 | 5100 1098 | 100 |
| Flucytosine | FC | 0.002-32 | 5110 1090 | 5100 1090 | 30 |
| Itraconazole | IT | 0.002-32 | 5110 2588 | 5100 2588 | 100 |
| Itraconazole | IT | 0.002-32 | 5110 2580 | 5100 2580 | 30 |
| Ketoconazole | KE | 0.002-32 | 5110 2598 | 5100 2598 | 100 |
| Ketoconazole | KE | 0.002-32 | 5110 2590 | 5100 2590 | 30 |

ETEST FOR ANTIFUNGAL SUSCEPTIBILITY TESTING

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|--------------|------|-----------|---------------------------|------------------------------|------------|
| Posaconazole | POS | 0.002-32 | 5110 3218 | 5100 3218 | 100 |
| Posaconazole | POS | 0.002-32 | 5110 3210 | 5100 3210 | 30 |
| Voriconazole | VO | 0.002-32 | 5110 3288 | 5100 3288 | 100 |
| Voriconazole | VO | 0.002-32 | 5110 3280 | 5100 3280 | 30 |

ETEST FOR ANTIMYCOBACTERIAL SUSCEPTIBILITY TESTING

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|-------------|------|-----------|---------------------------|------------------------------|------------|
| Ethambutol | EB | 0.016-256 | - | 5100 2770 | 30 |
| Ethionamide | ET | 0.016-256 | - | 5100 2750 | 30 |
| Isoniazide | IZ | 0.016-256 | - | 5100 2790 | 30 |

ETEST ESBL FOR CONFIRMATION OF EXTENDED SPECTRUM BETA-LACTAMASE

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|---|----------|-----------------|---------------------------|------------------------------|------------|
| Cefotaxime/cefotaxime + clavulanic acid (4µg/mL) | CT/CTL | 0.25-16/0.016-1 | - | 5100 3228 | 100 |
| Cefotaxime/cefotaxime + clavulanic acid (4µg/mL) | CT/CTL | 0.25-16/0.016-1 | - | 5100 3220 | 30 |
| Ceftazidime/ceftazidime + clavulanic acid (4µg/mL) | T'Z/T'ZL | 0.5-32/0.064-4 | - | 5100 3258 | 100 |
| Ceftazidime/ceftazidime + clavulanic acid (4µg/mL) | T'Z/T'ZL | 0.5-32/0.064-4 | - | 5100 3250 | 30 |
| Cefepime/cefepime + clavulanic acid (4µg/mL) | PM/PML | 0.25-16/0.064-4 | - | 5100 3478 | 100 |
| Cefepime/cefepime + clavulanic acid (4µg/mL) | PM/PML | 0.25-16/0.064-4 | - | 5100 3470 | 30 |

ETEST MBL FOR DETECTION OF METALLO BETA-LACTAMASE

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|--------------------------|--------|------------|---------------------------|------------------------------|------------|
| Imipenem/imipenem + EDTA | IP/IPI | 4-256/1-64 | - | 5100 3428 | 100 |
| Imipenem/imipenem + EDTA | IP/IPI | 4-256/1-64 | - | 5100 3420 | 30 |

ETEST GRD FOR GLYCOPEPTIDE RESISTANCE DETECTION

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|--------------------------------------|-------|---------------|---------------------------|------------------------------|------------|
| Vancomycin/Teicoplanin ¹⁾ | VA/TP | 0.5-32/0.5-32 | - | 5100 3728 | 100 |
| Vancomycin/Teicoplanin ¹⁾ | VA/TP | 0.5-32/0.5-32 | - | 5100 3720 | 30 |

1) For Investigational Use Only

E TEST FOR AMPC DETECTION

| PRODUCT | CODE | MIC µg/mL | FOIL PACK. ARTICLE NO. | BLISTER PACK. ARTICLE NO. | UNITS/PACK |
|---|--------|---------------|---------------------------|------------------------------|------------|
| Cefotetan/Cefotetan + Cloxacillin ¹⁾ | CN/CNI | 0.5-32/0.5-32 | - | 5100 3718 | 100 |
| Cefotetan/Cefotetan + Cloxacillin ¹⁾ | CN/CNI | 0.5-32/0.5-32 | - | 5100 3710 | 30 |

1) For Investigational Use Only

ACCESSORIES

| PRODUCT | ARTICLE NO. |
|--|-------------|
| Etest Applicator Kit (<i>two applicators, applicator trays + tape</i>) | 5100 5999 |
| Etest Applicator (<i>one applicator + five pieces of tape</i>) | 5100 5987 |
| Etest Applicator tape (<i>five pieces of tape</i>) | 5100 5986 |
| Desiccant capsules (<i>eight units</i>) | 5100 5979 |
| Clamps -for resealing Etest package (<i>five units</i>) | 5100 5989 |
| Measuring sticks (<i>five units</i>) | 5100 5994 |
| Etest storage container with desiccant capsule | M0000163 |
| Storage box, MAXI (<i>twelve cartridges, twelve desiccant capsules, one applicator, one piece of tape, package insert</i>) | 5100 5981 |
| Storage box, MAXI (<i>twelve desiccant capsules, one applicator, one piece of tape, package insert</i>) | 5100 5992 |
| Storage box, MIDI (<i>six cartridges, six desiccant capsules, one applicator, one piece of tape, package insert</i>) | 5100 5978 |
| Storage box, MIDI (<i>six desiccant capsules, one applicator, one piece of tape, package insert</i>) | 5100 5991 |
| Storage box, MINI (<i>two cartridges, two desiccant capsules, one applicator, one piece of tape, package insert</i>) | 5100 5980 |
| Storage box, MINI (<i>two desiccant capsules, one applicator, one piece of tape, package insert</i>) | 5100 5990 |

BIOTOOLS™

| PRODUCT | ARTICLE NO. |
|--|-------------|
| Simplex C76™, Instrument for automatic application of Etest strips | 5100 5982 |
| Nema C88™, Vacuum pen for application of Etest strips | 5100 5984 |
| Retro C80™, Instrument for inoculation of agar plates | 5100 5983 |
| Suction cups for Nema C88 and Simplex C76 (<i>two cups/pack</i>) | 5100 5993 |
| Biotoools™ AC adaptor | 5100 7007 |
| Biotoools power cable USA | 5100 7001 |
| Biotoools power cable Europe | 5100 7000 |
| Biotoools plate holder 90 mm | 5100 7002 |
| Biotoools plate holder 150 mm | 5100 7003 |
| Biotoools plate holder pins (<i>three pieces</i>) | 5100 7008 |
| Simplex C76 cartridge holder | 5100 7004 |
| Nema C88 vacuum pen kit | 5100 7005 |
| Biotoools O-ring for plate holder (<i>two pieces</i>) | 5100 7006 |



Etest® and the Etest gradient strip are registered trademarks of AB BIODISK.

Simplex C76™ is a pending trademark and the instrument and the foam cartridge carrying Etest are patented products of AB BIODISK.

Biotoools™, Retro C80™ and Nema C88™ are pending trademarks of AB BIODISK.

ORDERING INFORMATION

1. PLEASE SEND YOUR ORDER BY FAX OR MAIL TO:
AB BIODISK, Dalvägen 10, S-169 56 Solna, Sweden.
Tel +46-(0)8-730 07 60, Fax +46-(0)8-83 81 58, Order fax +46-(0)8-730 40 35
order@abbiodisk.se, www.abbiodisk.com
2. WHEN PLACING AN ORDER, PLEASE SPECIFY:

| | | |
|-------------------|-----------------------|---------------------|
| Order number | Article number | Product description |
| Quantity | Delivery address | Delivery date |
| Invoicing address | Authorising signature | Order date |
3. ADDRESS DETAILS:

| | | |
|--------------|------------|----------------------------|
| Contact name | Department | Institute/hospital/company |
| Street, city | Post code | State, country |
| Telephone | Telefax | Email |

TERMS OF DELIVERY

1. An order confirmation with an **estimated delivery date** will be sent within 48 hours of receipt.
2. Delivery times:
 - i) Stocking orders for frequently used products will be delivered within 2 to 4 weeks.
 - ii) All other orders will be provided with an estimated delivery date.
 - iii) Separate urgent orders (1 to 3 items) will be delivered as soon as possible, under normal circumstances within 3 days, and an extra administration cost will be charged.
 - iv) Exceptions to 2 i) and unavoidable delays may occur due to situations outside AB BIODISK's control e.g. limited availability of antibiotic powders from manufacturers.
3. Etest will be automatically dispatched by UPS Courier Service DDU (Delivered Duty Unpaid - Incoterms 2000).
4. Special delivery arrangements can be provided when specifically requested.
Note: The customer will be fully responsible for delays, losses and other unforeseen effects when goods are transported by other means. Postal packages are not traceable and are often treated differently at customs and unacceptable delays can occur.
5. Etest products can be transported at room temperature (20-30°C) and on receipt stored according to instructions on the package. Etest can be retransported at room temperature for a maximum of 5 days and again be immediately stored according to instructions.
6. The customer should inform AB BIODISK of all import and customs regulations that must be fulfilled by the dispatcher. The customer must also fulfil all customs regulations as the importer. If the above have not been fulfilled, the customer is fully responsible for delays, losses and/or other unforeseen effects.

TERMS OF PAYMENT

1. We reserve the right to alter prices and the buyer will be notified prior to the order confirmation.
2. Prices are DDU (Delivery Duty Unpaid - Incoterms 2000) and postage, insurance costs and freight charges will be added to the invoice.
3. Payment must be made within 30 days of the invoice date, unless other conditions have been agreed upon. After the final payment due date, an interest of 12.5% per year will be automatically charged to your invoice on a monthly basis. Payment delay will result in a stop of shipment until the pending payment is settled in full.

RETURN OF GOODS

1. Incorrect items shipped due to an error by AB BIODISK are returnable after written authorisation from AB BIODISK. Please quote the "Return Number" provided by AB BIODISK.
2. Items are not returnable due to an error by the customer.

PRODUCT WARRANTY

AB BIODISK warrants that the products in the price list will perform satisfactorily for the purpose intended, when stored and transported as directed and used before the expiry date, according to instructions provided. **Tampering of the products or its labels is totally prohibited and will invalidate product warranty.** Results obtained with AB BIODISK products are dependent upon the procedures indicated in the latest edition of the package insert and other procedural guides provided by AB BIODISK. In addition, the user is referred to the specific warranty and disclaimer for each product. Any change or modification in the procedure may affect results in which case AB BIODISK disclaims all warranties, expressed and implied, including the implied warranty of merchantability and fitness for particular purpose.